Contents of Volume 143, No. 1

PAGE

Proteins

The localization of a vitamin K-induced modification in an *N*-terminal fragment of human prothrombin.
By T. Skotland, T. Holm, B. Østerud, R. Flengsrud & H. Prydz 29

Preliminary characterization of Thy-1.1 and Ag-B antigens from rat tissues solubilized in detergents.
By M. Letarte-Muirhead, R. T. Acton & A. F. Williams 51

Effects of iodination on the distribution of peptide hormones in aqueous two-phase polymer systems.
By B. Desbuquois & G. D. Aurbach 83

Separation, purification and properties of β-lactamase I and β-lactamase II from *Bacillus cereus* 569/H/9.
By R. B. Davies, E. P. Abraham & J. Melling 115

Metal cofactor requirement of β-lactamase II.
By R. B. Davies & E. P. Abraham 129

Conformational changes in the extracellular β-lactamase I from *Bacillus cereus* 569/H/9.
By R. B. Davies, E. P. Abraham & D. G. Dalgleish 137

A new systematic strategy for the isolation of proteins, illustrated by the purification of a mammalian exo-β-*N*-acetyl-D-glucosaminidase.
By H. K. Robinson & D. H. Leaback 143

The macromolecular properties of blood-group-specific glycoproteins. Characterization of a series of fractions obtained by solvent fractionation.
By J. M. Creeth, K. R. Bhaskar, A. S. R. Donald & W. T. J. Morgan 159

The isolation and identification of the P-component of normal human plasma proteins (*Short Communication*).
By P. Binette, M. Binette & E. Calkins 253

Nucleic Acids

Mammalian chromatin substructure studies with the calcium–magnesium endonuclease and two-dimensional polyacrylamide-gel electrophoresis.
By L. A. Burgoyne, D. R. Hewish & J. Mobbs 67

PAGE

Transcription of fractionated mammalian chromatin by mammalian ribonucleic acid polymerase. Demonstration of temperature-dependent rifampicin-resistant initiation sites in euchromatin deoxyribonucleic acid.
By C. J. Chesterton, B. E. H. Coupar & P. H. W. Butterworth 73

Ribonucleic acid polymerase activities in Jerusalem-artichoke tissue.
By J. R. Gore & J. Ingle 107

Lipids

A solid-phase radioimmunoassay for plasma progesterone.
By K. K. Dighe & W. M. Hunter 219

Carbohydrates

Crystallization of macromolecular heparin (*Short Communication*).
By E. D. T. Atkins, I. A. Nieduszynski & A. A. Horner 251

Small Molecules

The identification of 3,3′,5,5′-tetraiodothyroformic acid within the rat liver.
By D. B. Ramsden, A. M. Lawson, P. J. Raw & R. Hoffenberg 47

The isolation of an azobilirubin β-D-monoglucoside from dog gall-bladder bile.
By E. R. Gordon, M. Dadoun, C. A. Goresky, T.-H. Chan & A. S. Perlin 97

The molecular and crystal structures of 4-*N*-(2-acetamido-2-deoxy-β-D-glucopyranosyl)-L-asparagine trihydrate and 4-*N*-(β-D-glucopyranosyl)-L-asparagine monohydrate. The X-ray analysis of a carbohydrate–peptide linkage.
By L. T. J. Delbaere 197

Isolation of oligomers of 5,6-dihydroxyindole-2-carboxylic acid from the eye of the catfish.
By S. Ito & J. A. C. Nicol 207

Enzymology

A study of the coenzyme-binding characteristics of rabbit muscle L-glycerol 3-phosphate dehydrogenase.
By P. Bentley & F. M. Dickinson 11

PAGE

A study of the kinetics and mechanism of rabbit muscle L-glycerol 3-phosphate dehydrogenase.
By P. Bentley & F. M. Dickinson 19

Activation of carbamoyl phosphate synthase by *N*-acetyl-L-aspartate.
By H. J. Forman, R. Waddell, P. B. Hamilton & S. Grisolia 63

A new method for determining the Michaelis constant.
By F. de Miguel Merino 93

Association of xanthine oxidase with the bovine milk-fat-globule membrane. Catalytic properties of the free and membrane-bound enzyme.
By M. S. Briley & R. Eisenthal 149

The amino acid sequence of the peptide containing the thiol group of creatine kinase from normal and dystrophic chicken breast muscle. Comparison of some of the immunological properties of the antibodies developed in rabbits against these enzymes.
By B. P. Roy 171

Adenosine triphosphatase activity in the neural lobe of the bovine pituitary gland.
By H. Vilhardt & D. B. Hope 181

PAGE

Polyribosomal and particulate distribution of lysyl- and phenylalanyl-transfer ribonucleic acid synthetases.
By G. Moline, A. Hampel & M. D. Enger 191

Molecular weight, amino acid composition and physicochemical properties of the exocellular DD-carboxypeptidase–transpeptidase of *Streptomyces* R39.
By J.-M. Frère, R. Moreno, J.-M. Ghuysen, H. R. Perkins, L. Dierickx & L. Delcambe 233

Binding of β-lactam antibiotics to the exocellular DD-carboxypeptidase–transpeptidase of *Streptomyces* R39.
By J.-M. Frère, J.-M. Ghuysen, P. E. Reynolds, R. Moreno & H. R. Perkins 241

Anion effects on pyruvate kinase (*Short Communication*).
By P. J. Taylor & J. L. Robinson 255

Intermolecular Organization

Model connective-tissue systems. A study of polyion–mobile ion and of excluded-volume interactions of proteoglycans.
By W. D. Comper & B. N. Preston 1

Lipid and basic protein interaction in myelin.
By N. L. Banik & A. N. Davison 39

Contents of Volume 143, No. 2

PAGE

Proteins

The amino acid sequence of plastocyanin from *Cucurbita pepo* L. (vegetable marrow).
By M. D. Scawen & D. Boulter 257

Studies on the structure and activity of rabbit C1q (a subcomponent of the first component of complement).
By D. M. Lowe & K. B. M. Reid 265

Different molecular forms of plasminogen and plasmin produced by urokinase in human plasma and their relation to protease inhibitors and lysis of fibrinogen and fibrin.
By S. Müllertz 273

The release of iron from horse spleen ferritin by reduced flavins.
By S. Sirivech, E. Frieden & S. Osaki 311

PAGE

Slow conformational changes of a *Neurospora* glutamate dehydrogenase studied by protein fluorescence.
By B. Ashby, J. C. Wootton & J. R. S. Fincham 317

Extraction, partial purification and properties of obelin, the calcium-activated luminescent protein from the hydroid *Obelia geniculata*.
By A. K. Campbell 411

Evaluation of equilibrium constants by affinity chromatography.
By L. W. Nichol, A. G. Ogston, D. J. Winzor & W. H. Sawyer 435

Ferritin iron uptake and release. Structure–function relationships.
By P. M. Harrison, T. G. Hoy, I. G. Macara & R. J. Hoare 445

PAGE

The reaction of *N*-acetylneuraminate lyase with chloropyruvate (*Short Communication*).
By J. E. G. Barnett & F. Kolisis 487

Proteolysis of rabbit immunoglobulin M by papain (*Short Communication*).
By B. M. McIlroy & G. T. Stevenson 491

Small-angle X-ray scattering of pig thyroglobulin in solution (*Short Communication*).
By H. Brumberger, J. L. Lipton, G. Dorfman & E. Nakano 495

Nucleic Acids

Studies on chemical modification of thionucleosides in the transfer ribonucleic acid of *Escherichia coli*.
By Y. S. P. Rao & J. D. Cherayil 285

Some evidence for the occurrence of ribonucleic acid in the lutoid fraction (lysosomal compartment) from *Hevea brasiliensis* latex (*Short Communication*).
By B. Marin, P. Trouslot & S. Pujarniscle 479

Stabilization of two-stranded ribohomopolymer helices and destabilization of a three-stranded helix by ethidium bromide (*Short Communication*).
By M. J. Waring 483

Lipids

The reaction of phosphoglycolipids and other lipids with hydrofluoric acid.
By N. Shaw & A. Stead 461

Carbohydrates

The copolymeric structure of pig skin dermatan sulphate. Characterization of D-glucuronic acid-containing oligosaccharides isolated after controlled degradation of oxydermatan sulphate.
By L.-Å. Fransson, L. Cöster, A. Malmström & I. Sjöberg 369

The copolymeric structure of pig skin dermatan sulphate. Isolation and characterization of L-idurono-sulphate-containing oligosaccharides from copolymeric chains.
By L.-Å. Fransson, L. Cöster, B. Havsmark, A. Malmström & I. Sjöberg 379

Small Molecules

Metabolism of biphenyl. Structure and physicochemical properties of 2-hydroxy-6-oxo-6-phenylhexa-2,4-dienoic acid, the *meta*-cleavage product from 2,3-dihydroxybiphenyl by *Pseudomonas putida*.
By D. Catelani & A. Colombi 431

PAGE

Enzymology

Separation and properties of human brain hexosaminidase C.
By I. Braidman, M. Carroll, N. Dance & D. Robinson 295

Subcellular distribution and properties of kynurenine transaminase in rat liver.
By M. Nakatani, M. Morimoto, T. Noguchi & R. Kido 303

Turkey liver xanthine dehydrogenase. Reactivation of the cyanide-inactivated enzyme by sulphide and by selenide.
By W. F. Cleere & M. P. Coughlan 331

A comparison of wild-type and mutant ribitol dehydrogenases from *Klebsiella aerogenes*.
By B. D. Burleigh, Jr., P. W. J. Rigby & B. S. Hartley 341

Kinetic studies of oxidized nicotinamide–adenine dinucleotide-facilitated reactions of D-glyceraldehyde 3-phosphate dehydrogenase.
By P. J. Harrigan & D. R. Trentham 353

The enthalpy change for the reduction of nicotinamide–adenine dinucleotide.
By K. Burton 365

Membrane-bound DD-carboxypeptidases from *Bacillus megaterium* KM. General properties, substrate specificity and sensitivity to penicillins, cephalosporins and peptide inhibitors of the activity at pH 5.
By T. Diaz-Mauriño, M. Nieto & H. R. Perkins 391

Deoxycytidylate deaminase. Evidence for a new enzyme in cells infected by the virus of herpes simplex.
By H. A. Rolton & H. M. Keir 403

An inhibitor of phospholipase D in saliva.
By R. M. C. Dawson & N. Hemington 427

The preparation of crystalline human L-lactate–nicotinamide–adenine dinucleotide oxidoreductase isoenzyme 1 involving preparative polyacrylamide-gel electrophoresis.
By A. V. Emes, M. J. Gallimore, A. W. Hodson & A. L. Latner 453

Turkey liver xanthine dehydrogenase: properties of the enzyme dependent on the content of functional active sites (*Short Communication*).
By W. F. Cleere, C. O'Regan & M. P. Coughlan 465

PAGE

Nuclear protein kinase activity in glucagon-stimulated perfused rat livers (*Short Communication*).
By W. K. Palmer, M. Castagna & D. A. Walsh 469

Formation of catalase compound I by reaction with peroxoacetic acid: pH changes in unbuffered systems (*Short Communication*).
By P. Jones & D. N. Middlemiss 473

PAGE

Intermolecular Organization

The role of ribosomal ribonucleic acid in the structure and function of mammalian brain ribosomes.
By B. K. Grove & T. C. Johnson 419

Enhanced extractability of articular cartilage proteoglycans in osteoarthrosis (*Short Communication*).
By K. D. Brandt 475

Contents of Volume 143, No. 3

PAGE

Proteins

Topography of *Escherichia coli* ribosomal proteins. The order of reactivity of thiol groups.
By A. Bakardjieva & R. R. Crichton 599

Reductive alkylation of ribosomes as a probe to the topography of ribosomal proteins.
By G. Moore & R. R. Crichton 607

The macromolecular properties of blood-group-specific glycoproteins. Characterization of a series of fractions obtained by density-gradient ultracentrifugation.
By K. R. Bhaskar & J. M. Creeth 669

The amino acid sequence of plastocyanin from *Chlorella fusca*.
By J. Kelly & R. P. Ambler 681

The amino acid sequence of plastocyanin from French bean (*Phaseolus vulgaris*).
By P. R. Milne, J. R. E. Wells & R. P. Ambler 691

Completion of the analysis of the primary structure of the variable domain of a homogeneous rabbit antibody to type III pneumococcal polysaccharide.
By J.-C. Jaton 723

Mössbauer effect in the 'super-reduced' form of the high-potential iron–sulphur protein from *Chromatium* (*Short Communication*).
By D. P. E. Dickson & R. Cammack 763

The solubility of fibrinogen in solutions containing dextrans of various molecular weights (*Short Communication*).
By M. W. Rampling 767

Nucleic Acids

Formation of rings from segments of HeLa-cell nuclear deoxyribonucleic acid.
By N. Hardman 521

PAGE

Small Molecules

Biological, proton-magnetic-resonance- and ultraviolet-spectroscopic evidence for a molecular complex of actinomycin D and 10,11-dihydro-3H-naphth[1,2-*g*]indazol-7-ol (*Short Communication*).
By R. W. Chesnut, N. N. Durham, E. A. Mawdsley, G. X. Thyvelikakath, K. D. Berlin & B. M. Fung 789

Enzymology

Chemically modified nylons as supports for enzyme immobilization. Polyisonitrile-nylon.
By L. Goldstein, A. Freeman & M. Sokolovsky 497

The nucleoside triphosphate–ribonucleic acid nucleotidyltransferase (EC 2.7.7.6) of *Agrobacterium tumefaciens* (Smith and Townsend) Conn. Purification and properties of the enzyme from the tumorigenic strain B6806.
By U. C. Knopf 511

Temperature and pressure adaptation of the binding site of acetylcholinesterase.
By P. W. Hochachka 535

Purification and properties of dolphin muscle aspartate and alanine transaminases and their possible roles in the energy metabolism of diving mammals.
By T. G. Owen & P. W. Hochachka 541

Purification and properties of the trimethylamine dehydrogenase of Bacterium 4B6.
By J. Colby & L. J. Zatman 555

Protection of glutamate dehydrogenase by nicotinamide–adenine dinucleotide against reversible inactivation by pyridoxal 5′-phosphate as a sensitive indicator of conformational change induced by substrates and substrate analogues.
By S.-S. Chen & P. C. Engel 569

GENERAL BOOKBINDING CO.
75 2AA 2 013 1 C
QUALITY CONTROL MARK

PAGE

The structure and mechanism of stem bromelain. Evaluation of the homogeneity of purified stem bromelain, determination of the molecular weight and kinetic analysis of the bromelain-catalysed hydrolysis of *N*-benzyloxycarbonyl-L-phenylalanyl-L-serine methyl ester.
By C. W. Wharton 575

Kinetic studies on the effect of uridine diphosphate galactose and manganous ions on the reaction between lactose synthetase A protein from human milk and *p*-hydroxymercuribenzoate.
By B. J. Kitchen & P. Andrews 587

Structure and properties of arginase from the polychaete annelid *Pista pacifica* Berkeley.
By K. L. O'Malley & R. C. Terwilliger 591

An oxygenase from guinea-pig liver which catalyses sulphoxidation.
By K. Prema & K. P. Gopinathan 613

Regulation of heart muscle pyruvate dehydrogenase kinase.
By R. H. Cooper, P. J. Randle & R. M. Denton 625

Studies on the changes in protein fluorescence and enzymic activity of aspartate aminotransferase on binding of pyridoxal 5′-phosphate.
By R. W. Evans & J. J. Holbrook 643

The hybridization of glyceraldehyde 3-phosphate dehydrogenases from rabbit muscle and yeast. Kinetics and thermodynamics of the reaction and isolation of the hybrid.
By H. H. Osborne & M. R. Hollaway 651

An examination of the utility of photogenerated reagents by using α-chymotrypsin.
By A. J. Bridges & J. R. Knowles 663

Electron-paramagnetic-resonance studies on cobalt(II) carbonic anhydrase–sulphonamide complexes.
By S. A. Cockle, S. Lindskog & E. Grell 703

Properties of pig heart aconitase.
By O. Gawron, Sr., M. C. Kennedy & R. A. Rauner 717

PAGE

The purification of cholinesterase from horse serum.
By A. R. Main, W. G. Soucie, I. L. Buxton & E. Arinc 733

Inhibition of the soluble adenosine triphosphatase from mitochondria by adenylyl imidodiphosphate.
By R. D. Philo & M. J. Selwyn 745

The β-galactosidase-catalysed hydrolyses of β-D-galactopyranosyl pyridinium salts. Rate-limiting generation of an enzyme-bound galactopyranosyl cation in a process dependent only on aglycone acidity.
By M. L. Sinnott & S. G. Withers 751

Expressions of the Michaelis–Menten equation when studying enzyme reactions in a variable-volume medium (*Short Communication*).
By M. P. Gingold 771

The effect of systematic error on the accuracy of Michaelis constants and maximum velocities estimated by using the integrated Michaelis–Menten equation (*Short Communication*).
By P. F. J. Newman, G. L. Atkins & I. A. Nimmo 779

The steady-state kinetics of isotope exchange at equilibrium: one substrate–one product enzymic mechanisms where two molecules of substrate or product are bound to an enzyme molecule (*Short Communication*).
By I. G. Darvey 783

Immunological evidence to show that the *N*-acetylglucosaminidase and *N*-acetylgalactosaminidase activities of *Dictyostelium discoideum* reside in the same protein molecule (*Short Communication*).
By D. Every & J. M. Ashworth 785

Intermolecular Organization

pH-controlled hydrogen-bonding (*Short Communication*).
By J. L. Wood 775

Index 793